



GeoBrick is a masonry façade building material that combines the structural characteristics of concrete whilst offering the desirable finish of natural stone.

This is achieved by producing a single unit from a 15mm layer of natural stone aggregates which is then consolidated and cured with 80mm of concrete aggregate both in their wet state.


Thus, giving the stone face a robust structure resulting in a very competitive alternative to natural stone, concrete and clay linear products.

Blending is an option across all colours. Bespoke colours and finishes are available upon request for projects over 500m².





STANDARD









Techical information
Durability: F2
C/Strength: >20N/mm²
W/Absorption: <6%
Deviation Class: D2
Deviations:
Length: +/- 3mm
Height: +/- 2mm
Bed: +/- 3mm



SPLIT

The split face textured finish offers specifiers the ability to create a textured facade utilising the dramatic shadow affect caused by the surface finish. Often used in combination with the standard texture.





000 + 00 + 100




90 x 190mm 577 x 90 x 89



417 x 100 x 52m



lechical information
Durability: F2
C/Strength: >20N/mm²
W/Absorption: <6%
Deviation Class: D2
Deviations:
Length: +/- 3mm
Height: +/- 3mm





Southern Office

Kings Arms House High Street Brasted TN16 1JA

0845 250 7181

Midlands Office

Ash House 60 Halesowen Road Lydiate Ash B61 0QL

0121 713 7225

Email

clayproducts@ehsmith.co.uk

Web

www.ehsmithclayproducts.co.uk